



WARD

REFRIGERATION & CATERING PROVISIONS



LEC MEDICAL

WARD RANGE

We provide safe, reliable and energy efficient temperature controlled storage for hospital wards

CONTENTS

- 03 | Lec Medical – Medical Refrigeration Experts
- 04 | Our Ward Fridge Range
- 06 | Ward Model Specifications
- 07 | Catering Provisions



Extend your warranty for added peace of mind*

Lec Medical has now launched a comprehensive extended warranty package enabling you to protect your Ward product beyond our free of charge 2 years parts and labour warranty.

This package includes new for old replacement and offers reassurance in the current uncertain economic climate.

Call us today to find out more!

 **0844 815 3742**

* UK only

EXTENDED WARRANTY





REASONS TO CHOOSE LEC MEDICAL



We offer free standard delivery on **ALL Ward refrigeration units** featured in this brochure*



Our Ward range is **manufactured in the UK** to the highest quality standards. Look out for the  'Made in UK' symbol



We have total confidence in the performance and reliability of our products and back that up with a **free 2 years parts and labour warranty***



Every single unit is **individually tested and quality checked** before it leaves the production line to ensure it is in full working order



Our **award winning customer help centre** is on hand **363 days a year, 7 days a week** to offer guidance in the unlikely event of a problem with one of our units, with a team of 180 service engineers covering the whole of the UK to deal with any issues quickly and efficiently*



Our **large nationwide distribution centre holds stock** of all of our range, enabling us to supply products to meet orders promptly and with different delivery options to suit you



Lec Medical takes its environmental responsibilities seriously – we always try to use the most environmentally friendly refrigerant gases where possible, meaning **our units are not only kinder to the environment but also require less energy to run**



We are **leading approved supplier to the Government Procurement Service**, enabling NHS facilities involved with this service to order easily and at a competitive price

*UK Only

Supplier to
 Government Procurement
Service



LEC MEDICAL

WARD FRIDGES

Ideal for storing all foodstuffs securely



New Advanced Controller

Manage the internal temperature and monitor min/max settings at the touch of a button



Fitted Lock

Maintains security and helps prevent unauthorised access. All units come with 2 keys



Unique Anti Microbial Handle

Helps prevent the growth of bacteria and minimise the potential for cross contamination



Wire Shelves and Basket

Enables optimal airflow inside the unit. Shelf positions can be varied for maximum storage capacity



Fitted Rollers

For easy moving and cleaning



FREESTANDING SOLUTION



WSR288UK Freestanding Ward Refrigerator

Model Number	SKU Code	Gross Capacity	Dimensions H x W x D (mm)	Weight (kg)	Temperature Range Fridge
WSR288UK	444440963	288 litres	1565 x 595 x 670	59	+1°C to +5°C



Our NEW advanced controller explained

- Control panel can be locked to avoid accidental changes to desired settings
- Now you can set temperature accuracy to 0.1°C
- Main panel shows an average internal air temperature and min/max levels can easily be displayed




COUNTERTOP SOLUTION



WR207C Countertop Ward Refrigerator

Model Number	SKU Code	Gross Capacity	Dimensions H x W x D (mm)	Weight (kg)	Temperature Range
WR207C	444441798	82 litres	660 x 502 x 540	27.5	+1°C to +5°C



UNDER-COUNTER SOLUTION



WSR151UK Under-counter Ward Refrigerator

Model Number	SKU Code	Gross Capacity	Dimensions H x W x D (mm)	Weight (kg)	Temperature Range
WSR151UK	444440962	151 litres	845 x 595 x 635	37	+1°C to +5°C

LEC MEDICAL

DETAILED SPECIFICATIONS



WR207C



WSR151UK



WSR288UK

Model No	WR207C	WSR151UK	WSR288UK
Description	Countertop	Under-counter	Freestanding
SKU code	444441798	444440962	444440963
EAN code	5052263017986	5052263009622	5052263009639
Gross capacity (L)	82	151	288
Net capacity (L)	67	145	284
External width (mm)	502	635	595
External depth (mm)	540	595	670
External height (mm)	660	845	1570
Packed width (mm)	520	650	640
Packed depth (mm)	595	687	740
Packed height (mm)	675	865	1580
Product weight (kg)	27.5	37	59
Packed weight (kg)	30.5	41	64
Country of origin	UK	UK	UK
Internal dimensions (wxdxh)	419x315x540 Step 165(d) x 215(h)	500x450x705 Step 165(d) x 210(h)	480x445x1382 Step 200(d) x 260(h)
External finish	White Painted Steel	White Painted Steel	White Painted Steel
Internal finish	White Plastic	White Plastic	White Plastic
Type of plastic	HIPS/ABS Mix	HIPS/ABS Mix	HIPS/ABS Mix
Temperature range	+1°C to +5°C	+1°C to +5°C	+1°C to +5°C
Colour	White/green	White/green	White/green
Door type	Solid	Solid	Solid
Door style	Hinged, reversible	Hinged, reversible	Hinged, reversible
Door open depth (mm)	976	1165	1185
Replaceable door seal	No	No	No
Open door sensor	No	Yes	Yes
Lock	Yes	Yes	Yes
Adjustable feet (number & position)	No	2 adjustable front feet 2 rear rollers	2 adjustable front feet 2 rear rollers
Temperature display on panel	Yes	Yes	Yes
Temperature alarm	Yes	Yes	Yes
Number of shelves	2	3	5
Number of shelf positions	2	6	12
Shelf size (dxwxh) (mm)	2: 440x275x6	3: 320x520x6	5: 340x497x6
Shelf material	Wire	Wire	Wire
Moulded drawers	0	0	1
Door bins	0	2 (Fixed)	4 (adjustable)
Interior light	No	No	Yes
Fan	Yes	Yes	Yes
Auto or manual defrost	Automatic	Automatic	Automatic
Controller type	Digital, external	Digital, external	Digital, external
Climate class	N	SN	SN
Refrigerant type	R134a	R600a	R600a
CFC free	Yes	Yes	Yes
HFC free	No	Yes	Yes
HCFC free	Yes	Yes	Yes
UK 3 pin plug	Yes	Yes	Yes
Other plug types available	Yes	Yes	Yes
Voltage supply	230	230	230
Aux output	No	No	No
Insulation thickness (mm)	30	40	40-60
Insulation type	Cyclopentane	Cyclopentane	Cyclopentane
Anti microbial handle	Yes	Yes	Yes

To complement our Ward offering we also provide a range of catering solutions from Burco. The Burco name has been long established and known for offering innovation, value for money and quality water boilers for over 100 years.



Manual Fill Water Boilers

Simply fill up and plug in. Easy to manoeuvre and portable.



Model Number	SKU Code	Gross Capacity	Dimensions H x W x D (mm)	Weight (kg)
MFCT10ST	444448528	10 litres	380 x 300 x 335	3
MFCT20ST	444448529	20 litres	380 x 390 x 430	4
MFCT30ST	444448530	30 litres	480 x 390 x 440	4.4
MFC2T	444448536	2.5 litres	325 x 240 x 250	2
MFC8T	444448535	8 litres	530 x 240 x 250	3.2

Autofill Water Boilers

Ideal for where a regular supply of hot water is required. Our Burco autofills are connected to a mains water supply.

Model Number	SKU Code	Gross Capacity	Dimensions H x W x D (mm)	Weight (kg)
AFWM3/3	444448534	3 litres	388 x 335 x 335	10.8
AFWM7.5/3	444448546	7.5 litres	466 x 335 x 335	11.1
AFWM15/3	444448548	15 litres	550 x 340 x 335	14
AFCT10/3	444448531	10 litres	495 x 290 x 565	12.8



Keep Warm Function

Catering Kettles

Our commercial kettles are sturdy and robust for regular, repeated use.

Model Number	SKU Code	Gross Capacity	Dimensions H x W x D (mm)	Weight (kg)
KTL02	444448552	2 litres	225 x 270 x 190	1
KTL04	444448553	4 litres	305 x 310 x 230	1.8

For further information including the full catering range, product specifications and prices, please call the Burco team on **0844 815 3742** or visit **www.burco.co.uk**



- **Sales Enquiries:**
email: sales@gdpa.co.uk
tel: 0844 815 3742
fax: 0844 815 3748
- **Marketing Enquiries:**
email: marketing@gdpa.co.uk
tel: 0844 248 4661
- **Spares and After Sales Service:**
email: info@gdha.com
tel: 0844 815 3755
fax: 0844 815 3748
- **For all International (Non-UK) Enquiries:**
email: sales@gdpa.co.uk
tel: +44 151 493 3281
fax: +44 151 432 7082
- **Address:**
Lec Medical
Stoney Lane, Prescot
Merseyside L35 2XW
- For any other information, please visit:
www.lec-medical.co.uk

Supplier to
 Government Procurement
Service


Glen Dimplex
PROFESSIONAL APPLIANCES

Glen Dimplex Professional Appliances
is part of the Glen Dimplex Group

Glen Dimplex Professional Appliances operates the policy of continual improvement and development. Therefore we reserve the right to change the specification of any product without prior notice. All dimensions in the publication are approximate. Information correct at time of going to print. Please note that ongoing product improvement may result in minor changes in product technical specification. Where possible this will be communicated prior to supply. Please contact customer services for further information. E&OE.

